

Seat No.:

No of printed pages: 4

[92/A12]

Sardar Patel University

M.Sc. (Sem-III), PS03EMTH12, Financial Mathematics-I;

Monday, 24th October, 2016; 02.00 p.m. to 05.00 p.m.

Maximum Marks: 70

Note: (i) The required table of normal distribution is attached with this question paper;
(ii) Calculator is allowed.

Q.1 Answer the following.

[8]

- Which one from the following is the largest exchange in which futures contracts are traded?
(A) Chicago Board of Trade (B) New York Stock Exchange
(C) London Stock Exchange (D) Bombay Stock Exchange
- Which of the following trader always earn risk free profits?
(A) Hedger (B) Speculator (C) Arbitrageur (D) none of these
- Which of the following is completely risk free rate?
(A) LIBID (B) Forward (C) LIBOR (D) Treasury
- What is the equivalent continuously compounding interest rate for 10 % per annum with semi annual compounding?
(A) 9.758 % (B) 9.531 % (C) 4.879 % (D) none of these
- If X is the random variable giving the number of heads obtained in an experiment of tossing a coin three times, then $P(X < \sqrt{2})$ is
(A) $\frac{1}{4}$ (B) $\frac{1}{8}$ (C) $\frac{3}{8}$ (D) none of these
- For the random variable, Y , $\text{Var}(Y)$ equals
(A) $E(Y) - [E(Y)]^2$ (B) $[E(Y)]^2 - E(Y^2)$
(C) $E(Y^2) + [E(Y)]^2$ (D) $E(Y^2) - [E(Y)]^2$
- The Black Scholes Merton differential equation is
(A) linear with degree 1 (B) linear with degree 2
(C) not linear with degree 1 (D) none of these
- The delta for European call option is
(A) $N(d_2)$ (B) $N(d_1) - 1$ (C) $N(d_1)$ (D) $N(d_2) - 1$

Q.2 Attempt any seven:

[14]

- Explain the role of SEBI in financial market.
- Define ET-market. Give one example of it.
- Explain the difference between buying a call option and selling a put option.
- Define n-year zero rate.
- Define mean of a continuous random variable.
- Give formula of two step binomial model.
- Consider a stock whose current price is ₹25. It is known that at the end of 6 months it will be either ₹27 or ₹23. Consider a portfolio of a long position in Δ stocks and a short position in one European call option of same stock with striking price ₹21. Find the value of Δ that makes the portfolio riskless.
- State put call parity for European options.
- Let f be a continuous function over \mathbb{R} . Then for any $a \in \mathbb{R}$, show that
$$\int_{-\infty}^{\infty} f(t)\delta(t-a)dt = f(a)$$
, where δ is Dirac delta function.

- Q.3
- (a) Explain hedger with an example. [6]
 - (b) Discuss comparisons between (i) Futures and forward contracts; (ii) Exchange traded market and over the counter market. [6]

OR

- (b) Consider a call option of a stock with striking price \$50, option value \$2.50 per stock and it expires after 3 months. Under what circumstances will the holder of the option make a profit? Under what circumstances will the option be exercised? Draw a diagram illustrating how the profit from a long position in the option depends on the stock price at maturity of the option.

- Q.4
- (a) Explain forward interest rate. [6]
 - (b) Discuss generalized Wiener process. [6]

OR

- (b) An investor will receive ₹1100 after one year for an investment of ₹1000 now. Calculate the percentage return per annum with
 - (i) simple compounding; (ii) semi annual compounding; (iii) continuous compounding.

- Q.5
- (a) State and prove Itô's lemma. [6]
 - (b) Explain one step binomial model with an example. [6]

OR

- (b) Find the price of a 6 months European put option with a strike price \$42 on a stock whose current price is \$40. Also the stock price either moves up or down by 10% for each 3 months and the risk free interest rate is 12% per annum with continuously compounding.

- Q.6
- (a) Derive Black Scholes Merton differential equation. [6]
 - (b) Find the solution in terms of $\frac{x}{\sqrt{t}}$ of the equation $\frac{\partial u}{\partial t} = \frac{\partial^2 u}{\partial x^2}$ ($t > 0, x > 0$) subject to conditions $u(x, 0) = 0, u(0, t) = 1$ and $u(x, t) \rightarrow 0$ as $x \rightarrow \infty$. [6]

OR

- (b) Find the value of European put option on a non-dividend paying stock when the stock price is \$52, the strike price is \$55, the risk free interest rate is 10% per annum with continuously compounding, the volatility is 40% per annum, and the time to maturity is 3-months?

(2)

Table for $N(x)$ When $x \leq 0$

This table shows values of $N(x)$ for $x \leq 0$. The table should be used with interpolation. For example,

$$\begin{aligned} N(-0.1234) &= N(-0.12) - 0.34[N(-0.12) - N(-0.13)] \\ &= 0.4522 - 0.34 \times (0.4522 - 0.4483) \\ &= 0.4509 \end{aligned}$$

x	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-3.0	0.0014	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.5	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
-3.6	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
-3.7	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
-3.8	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
-3.9	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
-4.0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

2406

Table for $N(x)$ When $x \geq 0$

This table shows values of $N(x)$ for $x \geq 0$. The table should be used with interpolation. For example,

$$\begin{aligned} N(0.6278) &= N(0.62) + 0.78[N(0.63) - N(0.62)] \\ &= 0.7324 + 0.78 \times (0.7357 - 0.7324) \\ &= 0.7350 \end{aligned}$$

x	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9986	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.7	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.8	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.9	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
4.0	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

884